

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	201957	((demultiplex\$3 sep\$1rat\$4 divid\$3) with (stream data\$1stream))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:18
L2	44	((demultiplex\$3 sep\$1rat\$4 divid\$3) with (stream data\$1stream)) same (remov\$3 with control with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:19
L3	11	707/200-204.ccls. and (segment with reuse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:24
L4	7	@ad<"20040213" and 707/200-204.ccls. and (segment with reuse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:25
L5	56	@ad<"20040213" and 707/200-204.ccls. and ((segment block chunk) with reus\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:28
L6	5	@ad<"20040213" and 707/200-204.ccls. and ((segment block chunk) with reus\$1) and ((determin\$6 compar\$3 match\$3) with (segment block chunk) with (database repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:29
L7	1	@ad<"20040213" and 707/200-204.ccls. and ((segment block chunk) with reus\$1) and (((determin\$6 compar\$3 match\$3) with (segment block chunk) with (database repository)) and pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:30

L9	11	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and ((segment\$6 divid\$3 division partition\$3) with (data stream) with (block segment chunk)) and (index\$3 point\$3 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:36
L10	8	"6928526"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:42
L11	3	"20020194209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:53
L12	2	"20020194209" and (metadata with (header marker))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:53
L13	2	"20020194209" and (stream with (segment\$6 divid\$3) with (segment block))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:55
L14	3	"20020194209" and (sis (single with instance with stor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 06:57

L15	2	"20020194209" and (segmenting segmentation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:01
L16	0	"20020194209" and (map)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:04
L17	3	"20020194209" and (format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:04
L18	0	"20020194209" and (reconstruct\$3 with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:04
L19	0	"20020194209" and (reconstruct\$3 with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:04
L20	0	"20020194209" and ((receiv\$3 send\$3 transmit\$6 transmission) with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:18
L21	3	"20040243643"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:01
L22	2	("20040243643" "20020194209") and (config configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:07

L23	5	("20040243643" "20020194209") and (file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:10
L24	2	("20040243643" "20020194209") and (metadata with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:11
L25	6	("20040243643" "20020194209") and (computer circuit product instructions program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 08:14
S1	2	"20050251525"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:16
S2	0	"20050251525" and (media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:16
S3	0	"20050251525" and (media medium computer pc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:16
S4	0	"20050251525" and (storage with (element or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:17
S5	2	"20050251525" and (storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:17

S6	2	"20060253463"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:23
S7	1	"20060253463" and (media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:23
S8	2	"20060253463" and (media medium storage product cpu computer server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:25
S9	3	"20040064304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 12:50
S10	126	(look\$1a\$1head (look adj ahead)) and query and cost and (optimiz\$7 with (query cost))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 13:35
S11	982380	(look\$1a\$1head (look adj ahead)) and query and cost and (optimiz\$7 with (query cost)) nd (query with concurrent\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 13:36
S12	5	(look\$1a\$1head (look adj ahead)) and query and cost and (optimiz\$7 with (query cost)) and (query with concurrent\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 13:37
S13	3	"7174318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 14:41

S14	38064	(stor\$3 with data with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:02
S15	969	(stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and (segment\$6 with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:09
S16	73	(stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and (segment\$6 with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:11
S17	0	(stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and (segment\$6 with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (stream with user with data) and (stream with administrative with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:12
S18	59	@ad<"20040213" and (stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and (segment\$6 with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:15

S19	73	@ad<"20040213" and (stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:16
S20	72	@ad<"20040213" and (stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:27
S21	9	"7065619"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:28
S22	43	(data with domain).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:29
S23	12	@ad<"20040213" and (data with domain).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:30
S24	4	@ad<"20040213" and (data with domain).as. and stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:30

S25	57	@ad<"20040213" and (stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3) and (back\$1up recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:33
S26	0	707/204.cds. and @ad<"20040213" and (stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3) and (back\$1up recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:34
S27	0	707/204.cds. and @ad<"20040213" and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3) and (back\$1up recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:35

S28	1	"707"/.ccls. and @ad<"20040213" and (stor\$3 with data with stream) and (multi\$1plex\$3 mux\$3) and (de\$1multiplex\$3 de\$1mux\$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3) and (back\$1up recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:35
S29	0	707/204.ccls. and @ad<"20040213" and (stor\$3 with data with stream) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3) and (back\$1up recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:41
S30	0	707/204.ccls. and @ad<"20040213" and (stor\$3 with stream) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4))) and (pointer point\$3) and (back\$1up recover\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:42
S31	1	707/204.ccls. and @ad<"20040213" and (stor\$3 with stream) and ((segment\$6 partition\$3) with stream) and (de\$1dup\$3 de\$1duplicat\$4 (single\$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:42

S32	27	707/204.ccls. and @ad<"20040213" and stream and (de\$1dup\$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:43
S33	1269	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:39
S34	90	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup\$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4) with (duplicat\$4 redundan\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:40
S35	51	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup\$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan\$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:43

S36	0	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and (de \$1multiplex\$3 de\$1mux \$3 decompos\$3) and ((segment\$6 partition\$3) with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:45
S37	87	@ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and (de \$1multiplex\$3 de\$1mux \$3 decompos\$3) and ((segment\$6 partition\$3) with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:45

S38	137	@ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and ((segment\$6 partition\$3) with stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:46
S39	81	@ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and (de \$1multiplex\$3 de\$1mux \$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (multi \$1plex\$3 mux\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:47
S40	5	@ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:48

		marker time\$1stamp stamp hash)) and (de \$1multiplex\$3 de\$1mux \$3 decompos\$3) and ((segment\$6 partition\$3) with stream) and (multi \$1plex\$3 mux\$3) and ((back\$1up (back\$3 adj up) archiv\$3) same recover\$4)				
S41	11	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and stream\$3 and (de\$1dup \$3 de\$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and ((segment\$6 divid\$3 division partition\$3) with (data stream) with (block segment chunk))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:54
S42	0	707/200-204.ccls. and @ad<"20040213" and (stor\$3 with (data stream segment block)) and (composite with stream \$3) and (de\$1dup\$3 de \$1duplicat\$4 (single \$1instance adj storage) ((remov\$3 delet\$4 eradicat\$4 eliminat\$4) with (duplicat\$4 redundan \$4))) and ((preprocess\$3 with stream) (remov\$3 eliminat\$4 delet\$4 eradicat\$4 sep\$1rat\$4 divid\$3 division) with (administrat\$4 metadata marker time\$1stamp stamp hash)) and ((segment\$6 divid\$3 division partition\$3) with (data stream) with (block segment chunk))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/21 20:56

S43	4	("20030204605" "5765173" "6449697" "6549992").PN. OR ("7065619").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/21 21:00
-----	---	---	---------------------------	----	-----	---------------------

12/ 22/ 2008 8:41:41 AM

C:\ Documents and Settings\ klove\ My Documents\ EAST\ Workspaces\ 10779355\ 10779355_4.
wsp